



When under pressure do you vent?


Do you know when you are venting?

Do you know where you have vented?

We have the answer to tackle these questions.



Simple and effective to give you instant relief from a problem now solved.



We care and like to share practical solutions

Free consultation for those who have a pressure relief problem, contact Dr Ian

WARD VALVE & CONTROL PTY LTD



Flags when a pressure relief valve has blown off.

eTattle switch gives contacts to signal the occurrence.

The Tattle Shack option houses the Tattle unit under a durable polycarbonate shelter to protect from inclement weather such as rain & hail, while still allowing vision of the flag arms.



High Pressure model option suitable to handle up to 46.5Bar (675psi) that may be desired for CO₂ refrigeration systems.

Suitable for use with all Natural and Synthetic Gases and Refrigerants, including ammonia & carbon dioxide.

Features:

- Anodized aluminium body & indicator flags
- Stainless steel axle & paddle
- O-ring axle seals
- Design pressure (standard) 20.6Bar (300psi)
 HP model 46.5Bar (675psi).
- Easy to install and maintain
- Low Pressure drop
- Flag position viewable from a distance.

<u>Sizes:</u> 1"FPT, 11/4"FPT, 11/2"FPT in threaded connections To suit flanges 50ND (2"), 65ND (21/2"), 80ND (3") & 100ND (4")

Enquiries welcome, Contact Ian Ward

WARD VALVE & CONTROL PTY LTD





Relief Vent Indicators





Price Guide

Model Original	T-100	T-125	T-150	T-200	T-250	T-300	T-400
Size	1"FPT	1¼"FPT	1½"FPT	50ND	65ND	80ND	100ND
Price \$	280.00	330.00	370.00	499.00	725.00	815.00	975.00

Pressure rated up to 20.6 Bar (300psi)

Model Tattle HP	T-100HP	T-125HP	T-150HP	T-200HP	T-250HP	T-300HP	T-400HP
Size	1"FPT	1¼"FPT	1½"FPT	50ND	65ND	80ND	100ND
Price \$	364.00	429.00	481.00	649.00	875.00	928.00	1,125.00

Pressure rated up to 46.5 Bar (675psi)

Size	1"FPT	1¼"FPT	1½"FPT	50ND	65ND	80ND	100ND
(metres)	0.381	0.508	0.635	1.905	1.27	1.778	1.27
(feet)	1.5	2.0	2.5	7.5	5.0	7.0	5.0

Equivalent pipe lengths indicated above.

eTattle Kit	ET1 conversion kit	ET2 conversion kit
Size(s)	1"FPT to 1½"FPT	50ND to 100ND
Price \$	232.00	250.00

This kit allows the original & HP Tattle models to be converted into an eTattle with a switch contact to signal a venting occurrence.

Tattle Shack	TS-10	TS-15	TS-15	TS-20	TS-25	TS30	TS-40
Size	1"FPT	1¼"FPT	1½"FPT	50ND	65ND	80ND	100ND
Price \$	125.00	125.00	125.00	TBA	TBA	TBA	TBA

Optional add on shelter, protection against inclement weather such as rain & hail while still allowing vision of the flag arms.

Prices are AUD each net (excl. GST) ex our Vermont warehouse. 20180501

Enquiries welcome

WARD VALVE & CONTROL PTY LTD





Other EZ-SRV Relief Valve solutions Hansen's replaceable cartridge relief valve





EZ fitting can remain as a permanent fixture and available in welded or threaded connections.

Revolutionary cartridge design allows quick and easy replacement without the need to disconnect any pipe work. A time saver.

Pressure settings of up to 42 Bar possible on $\frac{1}{2}$ " and $\frac{3}{4}$ " (15ND and 20ND) inlet models EZB and EZC.

Traditional Hansen H56 models available and three way dual shut-off valves with weld or threaded connections also available.



WARD VALVE & CONTROL PTY LTD

